



VISCERAL LEISHMANIASIS AMERICAS - 2018

3,562 new VL cases reported


4.8 incidence/100,000 population

8% of fatality rate

70.8% of the patients cured

7% of HIV-VL coinfection

88.1% of the cases diagnosed by laboratory testing



	Reduce fatality rate by 50% by 2022 ¹	Reduce incidence by 50% or not increase by 2022 ¹	Diagnosis of at least 95% of the cases by laboratory testing ²	Cure of at least 95% of the treated patients ²	Opportune reporting to SisLeish ²	Opportune reporting of VL border alerts ²
Argentina	●	●	●	●	●	●
Bolivia	●	●	●	●	●	●
Brazil	●	●	●	●	●	●
Colombia	●	●	●	●	●	●
Costa Rica	●	●	●	●	●	●
El Salvador	●	●	●	●	●	●
Guatemala	●	●	●	●	●	●
Honduras	●	●	●	●	●	●
Mexico	●	●	●	●	●	●
Nicaragua	●	●	●	●	●	●
Paraguay	●	●	●	●	●	●
Uruguay	●	●	●	●	●	●
Venezuela	●	●	●	●	●	●

INDICATORS OF THE LEISHMANIASES PLAN OF ACTION 2017-2022

¹ ● Improvement of the proportion; ● Decline of the proportion - comparison between 2017 data

² ● Achieved; ● Not achieved; ● No information; ● No 2018 data to be reported at the borders

● No VL cases in 2018

Source: SisLeish - PAHO/WHO - Data provided by the Ministries of Health - National Leishmaniasis Programs

Accessed on: 30 January 2020.

© PAHO/WHO; 2020