

Only 1 in 3 people with drug-resistant tuberculosis (TB) access care. WHO recommends fully-oral treatment regimens to replace injectables. This will improve treatment outcomes and save lives.



World Health Organization

2018

**UN High-Level Meeting target:
1.5 million people with MDR-TB access care**

2022



It's time

to ensure access to fully-oral treatment for people with drug-resistant TB

1 in 3 people with tuberculosis (TB) miss out on access to quality care. All people with TB deserve affordable and reliable health services wherever they access them.



World Health Organization

2018

**UN High-Level Meeting target:
40 million people with TB access care**

2022



It's time

**for universal access to
quality TB care**

1 in 4 people have tuberculosis (TB) infection. People in close contact with TB patients and those living with HIV are at high risk of developing TB. TB preventive treatment can stop TB infection from turning into disease.



World Health Organization

2018

**UN High-Level Meeting target:
>30 million people receive TB preventive treatment**

2022



It's time

to prevent TB to end TB

It's time to stand against stigma and discrimination

Health is a human right. Respect and dignity in healthcare settings and in communities ensures that this right is respected for people with tuberculosis.




World Health
Organization



Nearly 50% of people with HIV-associated tuberculosis (TB) do not reach care. Antiretroviral therapy and TB preventive treatment can save millions of lives.



World Health Organization



2018

**UN High-Level Meeting target:
6 million people with HIV receive TB preventive treatment**

2022



It's time

to ensure access to life-saving antiretroviral therapy and TB preventive treatment

**1 in 2 children
with tuberculosis
(TB) miss out on
access to quality
TB care, risking
serious illness
and death.**



**World Health
Organization**

2018

**UN High-Level Meeting target:
3.5 million children with TB access care**

2022



It's time

**to ensure no child
is left behind**

It's time to ensure universal access to rapid molecular diagnostic tests

Affordable and
rapid diagnostic
tests are the first
step towards
timely
tuberculosis
care.



World Health
Organization



It's time for accountability

Ending tuberculosis by 2030 needs political will, financial resources, multisectoral engagement and community ownership. Accountability ensures that we are on track to reach this goal.



World Health
Organization



It's time to keep the promises of the UN high-level meeting on tuberculosis

In September 2018,
world leaders made
bold commitments
towards ending TB.
Now we
must translate
commitments into
urgent action.



World Health
Organization



It's time

to invest in nurses and healthcare workers


Nurses and health workers play a critical role in tuberculosis prevention and care. Enabling them to work to their full potential improves healthcare for all.



World Health
Organization



**More effective
diagnostics,
medicines, vaccines
and tools are urgently
needed to break
the trajectory of the
tuberculosis
epidemic.**



**World Health
Organization**

**UN High-Level Meeting target:
US\$ 2 billion annually for TB research**



It's time

**to boost TB research and
innovation**

**Tuberculosis
is the
world's top
infectious
disease
killer.**

**Reaching people
early with care
can prevent
death and
suffering.**



It's time

to Find.Treat.All.#EndTB