


Report on the epidemiological situation of dengue in the Americas

As of epidemiological week 3, 2025. Update: February 6, 2024, 14:00 PM (GMT-5)

In the epidemiological weeks (EW) 3 of 2025, a total of 212,364 suspected cases of dengue were reported, resulting in a cumulative incidence of 21 per 100,000 population. This represents an decrease of 54% compared to the same period in 2024 and an increase of 17% compared to the average of the last 5 years. Figure 1 shows the trend of suspected dengue cases as of EW 3.

Figure 1. Suspected dengue cases as of EW 3 in 2025 and 2024, and average of the last 5 years. Region of the Americas



Selected indicators Corresponding to EW 3

20 countries reported cases 74,500 suspected cases 15,633 lab confirmed (21%) 65 severe dengue cases (0.1%) 2 deaths 0.003% case fatality rate (CFR)

Cumulative dengue cases as of EW 1-3

212,364 suspected cases 55,296 lab confirmed (26%) 260 severe dengue cases (0.1%) 23 deaths 0.011% case fatality rate (CFR)

Out of the 212,364 reported dengue cases in the Region, 55,296 (26%) were laboratory-confirmed, and 260 (0.1%) were classified as severe dengue. A total of 23 fatalities have been recorded, resulting in a case fatality rate (CFR) of 0.011%.

In epidemiological week (EW) 3, 20 countries and territories within the region reported dengue cases, accounting for 74,500 new suspected cases. Of these, 65 (0.1%) were classified as severe dengue, and 2 deaths were reported, yielding a CFR of 0.003%. The distribution of cases by country is detailed in Table 1.

Table 1. Countries and territories of the Americas with report to PAHO and cases of dengue in EW 3, 2025

Countries with reported cases of dengue to PAHO EW 3	Cases
Argentina	42
Bolivia	620
Brazil	60,201
Colombia	4,115
Costa Rica	103
Dominican Republic	32
Ecuador	904
El Salvador	242
Grenada	8
Guadeloupe	410
Guatemala	1,020
Honduras	354
Martinique	85
Mexico	1,217
Nicaragua	1,708
Paraguay	1,012
Peru	2,386
Saint Barthelemy	3
Saint Lucia	3
Saint Martin	35
Total	74,500

Analysis by subregion

Central America and Mexico Subregion: In EW 3, a total of 4,644 new suspected dengue cases were registered. As of EW 3, the subregion exhibits an 52% decrease compared to the same week in 2024 and a 9% increase compared to the average of the last five years (Figure 3). The cases reported this week by Guatemala represent an increment of 36% and Nicaragua of 18% compared to the previous four epidemiological weeks (Figure 2).

Caribbean Subregion: In EW 3, 576 new suspected dengue cases were registered. As of EW 3, the subregion shows a 75% decrease compared to the same week in 2024 and a 39% increase compared to the average of the last five years (Figure 4).


Andean Subregion: In EW 3, 8,025 new suspected dengue cases were registered. As of EW 3, the subregion shows a 13% decrease compared to the same week in 2024 and a 28% increase compared to the average of the last five years (Figure 5). The cases reported this week by Colombia represent an increment of 12%, Ecuador of 28% and Peru of 45% compared to the previous four epidemiological weeks (Figure 2).


Southern Cone Subregion: In EW 3, 61,255 new suspected dengue cases were reported. As of EW 3, the Southern Cone subregion shows a 57% decrease compared to the same week in 2024 and a 18% increase compared to the average of the last five years (Figure 6). The cases reported this week by Brazil represent an increment of 40% compared to the previous four epidemiological weeks (Figure 2).

Figure 2. Countries with an increase or decrease in dengue cases in EW 3 compared to the average of the



Figure 3. Total number of suspected dengue cases in 2025 to EW 3, 2024 and average of the last 5 years. Central America and Mexico Subregion









Figure 4. Total number of suspected dengue cases in 2025 to EW 3, 2024 and average of the last 5 years. **Caribbean subregion**



Nine countries reported the circulation of dengue serotypes in the Americas. Brazil, Costa Rica, El Salvador, Mexico and Panama report the simultaneous circulation of DENV-1, DENV-2, DENV-3, and DENV-4. Figure 7 shows the serotypes reported by country.

Figure 7. Geographic distribution of serotypes in the Region of the Americas, 2025 EW 3



*Source: PLISA (https://www.paho.org/plisa) Data reported by the Ministries and Institutes of Health of the countries and territories of the Region.

Notes:

- The data published is preliminary and is subject to change as new notifications and adjustments are carried out by the countries.
- The number of cases by country can be consulted at www.paho.org/plisa