

# STRATEGY AND PLAN OF ACTION

for Integrated Child Health

28th PAN AMERICAN SANITARY CONFERENCE

64th Session of the Regional Committee

Washington, D.C., USA, 17-21 September 2012



525 Twenty-third Street, N.W. Washington, D.C. 20037, USA. | [www.paho.org](http://www.paho.org)



STRATEGY

AND PLAN OF

ACTION

for Integrated Child Health

Also published in:

Spanish (2013): Estrategia y Plan de Acción para la salud integral en la niñez. ISBN 978-92-75-31730-3

Portuguese (2013): Estratégia e Plano de Ação para a saúde integral na infância. ISBN 978-92-75-71730-1

French (2013): Stratégie et Plan d'Action pour la santé intégrale chez l'enfant. ISBN 978-927521730-6

---

## PAHO HQ Library Cataloguing-in-Publication Data

---

Pan American Health Organization.

Strategy and Plan of Action for integrated child health. Washington, DC: PAHO, 2013.

1. Child Health. 2. Child Health Services. 3. Child. 4. Latin America and the Caribbean. I. Title.

ISBN 978-92-75-11730-9

(NLM Classification : WA320 DA1)

The Pan American Health Organization welcomes requests for permission to reproduce or translate its publications, in part or in full. Applications and inquiries should be addressed to Editorial Services, Entity of Knowledge Management and Communications (KMC), Pan American Health Organization, Washington, D.C., U.S.A. ([pubrights@paho.org](mailto:pubrights@paho.org)). The area of Family and Community Health/Healthy Life Course will be glad to provide the latest information on any changes made to the text, plans for new editions, and reprints and translations already available.

© Pan American Health Organization, 2013. All rights reserved.

Publications of the Pan American Health Organization enjoy copyright protection in accordance with the provisions of Protocol 2 of the Universal Copyright Convention. All rights are reserved.

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the Secretariat of the Pan American Health Organization concerning the status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the Pan American Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the Pan American Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the Pan American Health Organization be liable for damages arising from its use.

Graphic designer:

Trilce García Cosavalente

Photos:

Pan American Health Organization photos gallery

Trilce García Cosavalente (designer)

# TABLE of CONTENTS

---

<u>v</u>	<u>Preface</u>
<u>01</u>	<u>Introduction</u>
<u>02</u>	<u>Background</u>
<u>03</u>	<u>Situation Analysis</u>
<u>07</u>	<u>Proposed Strategy</u>
<u>08</u>	<u>Proposed Plan of Action 2012–2017</u>
<u>10</u>	<u>Monitoring and Evaluation</u>
<u>10</u>	<u>Action by the Pan American Sanitary Conference</u>
<u>11</u>	<u>References</u>
<u>15</u>	<u>Annexes</u>



# PREFACE

## STRATEGY AND PLAN OF ACTION FOR INTEGRATED CHILD HEALTH 2012–2017

At the 28<sup>th</sup> Pan American Sanitary Conference, 64<sup>th</sup> Session of the Regional Committee of the World Health Organization for the Americas, held 17-21 September 2012 in Washington D.C., Member States approved the Strategy and Plan of Action for Integrated Child Health. The Strategy and Plan are an ongoing effort to support and expand the concept of integration of actions within health systems and services, and at the family and community levels in the Region. One of the principal goals is to accelerate progress towards reaching the Millennium Development Goals (MDG), especially MDG 4 (to reduce child mortality by two-thirds by 2015) by mitigating environmental risks and applying integrated actions based on the social determinants of health. This work will contribute to advancing the agenda of building national health care systems using an integrated set of primary health care, evidence-based, and high-impact interventions to achieve the well-being of children and the full potential of human development.

Attainment of the MDG in the Americas remains a key priority for Member States because women and children play a decisive role in development. Investing more in health, growth, and development is not only the right thing to do but also helps in the achievement of peaceful, stable, and productive societies. Children need an integrated mix of interventions and essential services provided by health systems which function well. Many Latin American countries are making progress in reducing deaths in children under 5 years of age because of the widespread use of effective interventions such as vaccination, use of supplements, health promotion, access to high quality services, and the prevention, treatment, and integrated case management for dealing with childhood diseases.

This innovative Strategy and Plan of Action will promote a new approach to increase coverage and scale up actions in priority and high-impact countries using a multisectoral approach. This work will require that focused attention be paid to the crosscutting areas of socioeconomic equity, equity of access to health care with a focus on primary health care, gender, and cultural diversity. It must also take into consideration the provisions of the Convention of the Rights of the Child and other international human rights instruments applicable to the health of women and children. It will also strengthen social protection interventions throughout the life-course and increase access to a qualified cadre of human resources.

Carissa F. Etienne  
Director









# INTRODUCTION

The children of the Region of the Americas are its greatest asset, and the recognition and protection of their distinct needs and human rights is essential for effective development. The Region has made great strides in reducing child mortality and morbidity, using evidence-based interventions and new knowledge and technology. Investment in child health has been on the public policy agenda for over 40 years, and Member States have achieved better levels of integration of child health services in health facilities. However, to make such integration even more effective, national health policies, strategies, plans, as well as legislation and regulations, require renewed attention using an intersectoral, interprogrammatic, and life course approach in a manner consistent with international mandates.

Persistent social exclusion, inequalities of gender, class, and ethnicity, and pervasive inequities all have detrimental effects on children's development and constitute one of the greatest challenges in the Region. Children who lag behind developmentally in their first five years may never catch up to those who had a better start in life (1). Interventions that protect children and promote the maximum realization of their potential can improve cognitive and emotional development and boost educational achievement, which in turn facilitates access to productive employment, greater social mobility, and reduction of inequities in the future. New research demonstrates that some adult health and medical conditions result from predisease pathways that have their beginnings in utero or in early infancy, and that early interventions can have an impact on the prevalence of noncommunicable diseases (NCDs) in later life. Additionally, according to Heckman, preschool education is an efficient and effective investment for strengthening economic development and the workforce. The earlier investments are made, the quicker the returns (2).

This Strategy and Plan of Action proposes a framework coherent with Member States' commitments to the United Nations (UN) Convention on the Rights of the Child and other international human rights instruments and their principles (3–7) and supports other Pan American Health Organization (PAHO) resolutions. It will expand and strengthen the continuum of care to promote the optimal development of the child (see Annex A); prevent and reduce the burden of disease in children younger than 5 years of age; improve child nutrition and nutritional status; improve the quality of care provided to all children; build capacity of the health care workforce; empower parents, families, and communities to support child care efforts; create social and physical environments that promote safety and good health; and strengthen collaboration among various institutions and sectors, enabling them to work more effectively.



## Background

This strategy aligns with the United Nations Millennium Declaration, the Health Agenda for the Americas (2008–2017), the PAHO Strategic Plan (2008–2012), the United Nations Global Strategy for Women’s and Children’s Health (2010), the PAHO Gender Equality Policy, the Rio Political Declaration on Social Determinants of Health (2011), the Pan American Alliance for Nutrition and Development, and other PAHO and international organization initiatives and resolutions that contribute to and directly affect the well-being of women, children, and caregivers as well as provide important resources, strategic planning, and technical and normative guidance to health personnel (8–21).


Countries face challenges in scaling up health service delivery strategies, both clinical and community-based, to achieve health goals, and in estimating the resource requirements and financial implications of these strategies, especially for excluded populations. Efforts to strengthen health systems are severely underfunded in many countries, with inadequate resources to support retention of health workers; improvement of health information systems; universal access to essential medicines, vaccines, and technologies; and sustained good governance in the sector. It is widely recognized that a strong policy, strategy, and planning framework for the health sector along with a strong and well-resourced national health plan are the foundations for effective implementation.

Progress toward reaching the Millennium Development Goals (MDGs) has been inconsistent within and across countries, with frequent neglect of the poorest groups (often girls and indigenous populations) and those lacking access to education (often populations living in remote areas). Early childhood development programs have low coverage, and many child survival strategies still use a vertical approach that fails to consider the environmental conditions and other social determinants of health.

These constraints are major obstacles to meeting the needs of children, improving their living conditions, and protecting their fundamental rights, and to achieving greater equality among different social sectors with respect to child health.



# Situation Analysis



Although Latin America and the Caribbean (LAC) is a middle-income region, it is the most unequal region in the world with regard to income. Countries in Latin America face increasing challenges of poverty. According to estimates based on household income, in 2008 some 33% of the Region's population was living in poverty, and around 13% lived in households with incomes insufficient to satisfy their basic nutritional needs. One of every three children living in extreme poverty is deprived of more than one of the fundamental rights whose absence constitutes poverty. Along with material deprivation, this approach to child poverty focuses on access to basic health services and other factors associated with survival, discrimination, and exclusion that affect children's psychosocial development (22).

The United Nations Development Programme's Human Development Report 2010 spotlights long-term national progress as measured by the Human Development Index. Among countries in LAC, Guatemala, Bolivia, and Brazil made the greatest gains; other countries in the Region were found to be approaching nearly full school enrollment and average 80-year life expectancies (23). The Region has also succeeded in dramatically increasing effective vaccination coverage during the first year of life (93% immunized against measles in 2009) (24) and eradicating many childhood diseases. Social protection has been expanded. This has been achieved despite the high levels of inequality seen in the Region.

The Region faces new and emerging challenges due to social changes, the rising prevalence of NCDs—which are expected to continue increasing substantially in the decades to come—and demographic shifts linked to aging, urbanization, population growth, and mobility. In Latin America and the Caribbean, approximately 50% of all years of life lost are related to NCDs, whereas only 30% are due to communicable diseases and 20% to injuries (25). In 2010, an estimated 77.7% of the population in LAC lived in urban areas, and this is projected to increase to 86.9% by 2040 (24). The gross enrollment rate in tertiary education has risen only to 37.9% from 22.3% in 2000 (24).

Life expectancy in LAC countries increased from 63.4 years in 1975–1980 to 72.2 in 2000–2005, and the percentage of the population aged 65 years and older is expected to almost double, from 5.5% to 9.8%, between 2000 and 2025 (24). Interventions and wellness programs to prevent NCDs can begin early in life and continue through old age, and can be scaled up to reach a large proportion of the population.

Between 1990 and 2010, the average under-5 mortality rate in Latin America and the Caribbean was reduced from 54 to 23 deaths per 1,000 live births (26). This represented an average annual decline of 4.3% in under-5 mortality for the Region. In 2010 LAC contributed only 3.3% of global under-5 deaths, far lower than Sub-Saharan Africa (48.7%) and South Asia (33.2%) (26). This rate of reduction indicates that the Region as a whole has been successful in reducing childhood mortality. If this trend continues, the Region will reach the MDG Goal 4 target 4.A of a two-thirds reduction in under-5 mortality by 2015. However, regional averages for under-5 mortality mask major disparities between and within countries. For example, in 2011 it was estimated that Haiti and Bolivia had under-5 mortality rates of 87 and 51 deaths per 1,000 live births respectively, compared to reported under-5 mortality rates of 19 in Colombia, 8 in Chile, and 6 in Cuba (26). These differences show the importance of addressing the social and environmental determinants of health and the persistent inequalities in access to and utilization of basic health services. Population groups living in pockets of poverty, border areas, and geographically remote places, as well as indigenous population groups have a wide range of unmet health needs that require more attention and investment.

These inequalities of access are partly explained by the varying share of the population that lives on less than US\$ 1.25 per day (54.9% in Haiti compared to 3.5% in Venezuela in 2007). Another factor is the low national expenditure on health in several countries (in 2008, for example, health spending as a share of gross domestic product was 11.5% in the Netherlands Antilles compared with 1.8% in the Dominican Republic) (22).





In LAC in 2010, almost half (47%) of under-5 mortality occurred in the neonatal age group. Of these neonatal deaths, 31% were due to infections and 29% to asphyxia. Deaths in the post-neonatal age group (from 1 month to 1 year of age) accounted for 29% of total under-5 mortality; principal causes include acute respiratory infections (48%), diarrheal diseases (36%), and undernutrition (9%) (24). In the Americas, suffocation was the leading cause of death among children less than 1 year of age, and drowning among children aged 1 to 4 (29). The majority of childhood deaths are preventable. In countries with high mortality, selected high-impact, low-cost interventions (27) could reduce the number of deaths by more than 50%, but levels of coverage for those interventions are still unacceptably low in most low- and middle-income countries.

It has been shown that mortality in children under 5 years of age is associated with child abuse and with violence against women by an intimate partner. Alcohol and substance abuse are common risk factors usually present in one or both parents in such situations. There is sufficient evidence in the scientific literature to state that child maltreatment can be prevented (28). Children who either experience violence directly or witness violence between their parents are at higher risk of a number of negative health outcomes, including psychological and behavioral effects. Violence affects communities and societies, leading to losses in the business sectors and increased burden on the health care and justice systems. Once children reach the age of 5 years, the most significant threats to their survival are injuries, both intentional (homicide, child abuse, or collective violence such as war) and unintentional (road traffic injuries, burns, poisoning, and falls). Finally, depression in a parent, especially a mother, can also affect the development of the child. The proper diagnosis and treatment of mental health problems in parents is therefore essential.

The prevalence of child malnutrition in the Region is low at 4.5% (30). However, chronic malnutrition is still one of the most common growth disorders in LAC, with nearly 9 million children under the age of 5 years who suffer from this condition (31). Rates of breastfeeding and complementary feeding practices, essential for healthy growth and development, are far from optimal. In LAC, only 58% of newborns are breastfed within the first hour after birth, and only 44% of infants less than 6 months of age benefit from exclusive breastfeeding (32). It is estimated that promotion of exclusive breastfeeding and adequate complementary feeding practices can prevent 19% of under-5 child mortality (32). In addition, childhood obesity is one of the most serious public health challenges affecting countries of the Region, particularly in urban settings. The problem of childhood obesity is so severe in the Americas that in 2009, the government of the United States of America declared it a national epidemic. In Mexico in 2010, President Calderon announced a national strategy aimed at combating obesity in the country. Moreover, 7 to 12% of children under 5 years old in LAC are obese, which represents six times the current percentage of undernutrition for the same age group (33). Micronutrient deficiencies have a significant impact on human development and economic productivity. In LAC, the prevalence of anemia is 44.5% in young children (22.5 million), 30.9% in pregnant women (3.5 million), and 22.5% in women of reproductive age (31.7 million) (34).

Children in the Region also die from a number of largely preventable environment-related causes. Evidence increasingly shows that environmental degradation, harmful chemicals and toxic metals such as lead and mercury, radiation, air and water pollution, asbestos, and secondhand smoke pose major threats to the health, development, and survival of the world's children. These problems are exacerbated by increasing urbanization and by the effects of



climate change. Environmental conditions affect the quality and availability of food, as well as levels of physical activity (35). Indoor air pollution from solid fuel use is a neglected problem that requires urgent action. In seven countries of the Region, more than 50% of the population uses solid fuels (35, 37).

The estimated coverage of antiretroviral drugs for prevention of mother-to-child HIV transmission was 54% in LAC in 2008 (36). However, this figure masks significant in-country variances, with low coverage in certain population groups. Access to infant diagnostic services is still limited and many infants are lost to follow-up before their HIV status is confirmed. A total of 19 countries reported data on the number of infants diagnosed with congenital syphilis in 2009, ranging from 5,117 in Brazil to 1 in Barbados. Experts suspect important degrees of underreporting in many countries (37).

Soil-transmitted helminths infect millions of young children across Latin America and the Caribbean. The illnesses caused by these intestinal parasites, including anemia, vitamin A deficiency, stunted growth, and malnutrition, among others, slow children's mental and physical growth and have long-term effects on educational achievement and economic productivity (38). Parasitic worms disproportionately affect the most disadvantaged groups, particularly in rural areas and urban shantytowns, and contribute to keeping vulnerable people trapped in a cycle of poverty. Fortunately, there are highly cost-effective, proven interventions to treat intestinal parasites. Deworming interventions can easily be integrated into various existing programs that many countries and their partners are already implementing in the areas of health, nutrition, immunization, education, water and sanitation, and income support.

The Region of the Americas certified interruption of poliomyelitis in 1994. The Region has been free of endemic measles and rubella viruses ever since indigenous diseases were eliminated in 2002 and 2009 respectively, and efforts to eliminate neonatal tetanus and congenital rubella syndrome as public health problems are making progress. Diphtheria and pertussis are currently under control: vaccine coverage with DPT3 for children under 1 year was 90% in 2009 (39). New vaccines such as rotavirus and pneumococcus are being introduced.

Children with disabilities are among the most excluded groups and face serious barriers to the full enjoyment of their human rights (40). Eighty percent of the brain's capacity develops before 3 years of age. The developmental period from birth to primary school presents numerous opportunities to implement prevention programs that enable children with disabilities to fully realize their potential (40).

Neglect of young children's development needs can have serious consequences for their physical and mental growth and development. This is of particular concern in times of emergency or disaster, when populations are dispersed and basic services disrupted. The Region of the Americas has made progress in the design and implementation of early childhood development programs such as *Primeros Años* in Argentina, *Chile Crece Contigo*, *De Cero a Siempre* in Colombia, *Arranque Parejo* in Mexico, and others. These programs have been successful in helping children grow and thrive, physically, mentally, emotionally, and socially, from birth onward. The Chile program provides children with early access to services and benefits to meet their needs, along with





ongoing support at each stage of growth. The aim is to build a more equitable society by providing equal opportunities starting at birth. In 2009, enactment of Law 20.379, the Intersectoral Social Protection System, raised the program to institutional status.

Integrated health services models and policies in the Region are growing, though few have been thoroughly studied and evaluated. Some make use of the Integrated Management of Childhood Illness (IMCI) strategy. In Guyana, the National Integrated Child Health Strategy (2011–2015) integrates actions on child health. In Honduras, the IMCI strategy is included in the *Programa de Atención Integral a la Niñez*. In Peru, the *Modelo de Atención Integral en Salud* is a major intervention program to combat the country's malnutrition problems, and CRECER is the national plan to combat malnutrition and poverty. Nicaragua, under National Law 423, Article 38, mandated the creation of a *Modelo de Salud Familiar y Comunitario*, providing a basic package of services. And in Bolivia, the *Programa Desnutrición Cero* is a massive national public health mobilization using the IMCI strategy to strengthen nutrition and growth activities in multiple sectors.

The IMCI strategy, following rigorous international evaluations, has become the centerpiece of interventions to improve child health in the Americas, mainly in the health centers (41–46). Community-based IMCI programs have also shown success in promoting child health (47–50). In LAC, IMCI has addressed the prevention, control, and treatment of diseases and conditions affecting women, fetuses, newborns, and children, such as malnutrition; periconceptional folic acid deficiency and calcium deficiency during pregnancy; tuberculosis; tooth decay; Chagas' disease; perinatal and neonatal disorders; accidents, family abuse, and violence; mental health disorders; asthma and broncho-obstructive syndrome; early childhood development problems; and HIV/AIDS. It has also extended the strategy for improving the health of indigenous communities.

# Proposed Strategy

The Strategy and Plan of Action for Integrated Child Health builds upon Member States' accomplishments and experiences and on initiatives implemented by a wide range of partners in development. Horizontal cooperation and a South-South approach will be encouraged. Implementation will require the participation of existing alliances that are working to achieve the MDGs and improve child health and development, and will follow the accountability framework and indicators proposed by the Commission on Information and Accountability for Women's and Children's Health and the Convention on the Rights of the Child.

The conceptual framework for the Strategy is based on the ecological model, which considers child health to be the result of interaction between factors related to health systems at different levels and the social determinants of health. This work will require coordination among various social and governmental sectors, including the executive, legislative, and judicial branches, to ensure strong health sector governance, equitable delivery of services, sufficient financing of the health system, a critical mass of well-prepared health workers, functioning information systems, and availability of medicines and technologies.

A Plan of Action is proposed to guide countries in developing policies and programs to help families and communities access a timely, adequate, and integrated set of services to protect children's rights and promote their development. This set of services would constitute a portfolio of entitlements composed of cost-effective and evidence-based interventions, using a primary health care strategy and a gender, intercultural, and right-to-health approach. The Plan of Action will support and encourage the preparation of national policies, plans, and laws for social protection and contribute to strengthening health systems that are responsive to the needs of women, families, and children and that ensure access without financial, geographic, or social barriers.

To achieve this degree of support, the cooperation of many entities in both the public and private sectors will be required. These include national and local authorities, legislatures, municipal governments and community leaders, nongovernmental organizations (NGOs), faith-based organizations (FBOs), professional associations, women's bureaus, and the education, environment, finance, agriculture, housing, energy, and water and sanitation sectors. We propose that PAHO coordinate the regional response, with direct leadership from the ministries of health and other stakeholders. As part of the plan will be implemented in the post-MDG period, that is, after 2015, adjustments will be made in light of any new global agreements for health and development that may be formulated by national governments.

The proposal calls for establishing a Regional Alliance for Integrated Child Health to strengthen partnerships and collaboration with United Nations agencies, national and international organizations, NGOs, FBOs, civil society organizations, and so on, to promote integrated child health (ICH) interventions and mobilize resources with national partners. A National Intersectoral Working Group for ICH will be formed in each country and will develop a national working definition of "integrated child health" consistent with the country's policies, laws, epidemiological profile, and health system requirements. The working groups will also provide planning and technical cooperation.

The overall vision is to ensure that children younger than 5 years of age survive, thrive, and go on to lead healthy, happy lives. This means taking action to ensure a high quality of life, free of preventable diseases, disability, sexual violence, neglect, injury, and premature death, and working for the improvement of child health, the elimination of inequities, and the achievement of health equity in a manner consistent with the Convention on the Rights of the Child. We have the means and the technology; what is needed now is commitment from a wider range of stakeholders and increased funding for integrated child health.





# Proposed Plan of Action 2012–2017

The proposed Plan of Action will address five strategic areas in Latin America and the Caribbean. For all indicators, the baseline is 0 and the target is 12 countries.

**Strategic Area 1:** Developing harmonized, intersectoral, and interprogrammatic policies, national plans, and laws to protect and enhance children's health, rights, and development.

**Objective 1.1:** To create an enabling environment for advocacy, coordination, and development of intersectoral and interprogrammatic policies and programs for integrated child health (ICH) consistent with human rights instruments of the United Nations and Organization of American States.

*Indicators:*

- Number of countries that have established a national ICH policy, strategy, or plan consistent with their legal frameworks and regulations.
- Number of countries with an ICH program that have a medium- to long-term plan of action, with resources allocated and a focal person assigned.

**Strategic Area 2:** Strengthening integrated health systems and services and community interventions through alternative service delivery strategies, especially in marginalized areas.

**Objective 2.1:** Develop and strengthen health system capacity for the management, planning, and implementation of ICH strategies, with an emphasis on primary health care.

*Indicators:*

- Number of countries that have a national policy, strategy, or plan for strengthening the capacity of the health system to scale up effective ICH interventions.
- Number of countries with ICH programs that have developed technical guidelines and norms based on PAHO/WHO models.

**Strategic Area 3:** Building competencies in the health workforce, academic institutions, and families and communities using a rights-based approach that prioritizes primary health care and takes into account gender and ethnicity.

**Objective 3.1:** To support the development and strengthening of human resource training programs for ICH.

*Indicators:*

- Number of countries with an established and operational human resource and management training program for ICH.
- Number of countries implementing ICH evidenced-based interventions using PAHO/WHO tools and materials.





**Objective 3.2:** To promote social mobilization and community participation for the implementation and expansion of effective interventions to improve ICH and the well-being of children.

*Indicators:*

- Number of countries with established mechanisms and/or strategies for promoting community participation for the implementation of intervention-based ICH programs.
- Number of countries that have an operational plan to scale up and extend to new districts the community and family component, which promotes parenting skills, social mobilization, and community participation in ICH.

**Strategic Area 4:** Strengthening the health information system and improving the knowledge base on the effectiveness of interventions.

**Objective 4.1:** To strengthen country information systems and monitoring capacity in the framework of ICH, and to strengthen the capacity of information and vital statistics systems to generate and use quality information disaggregated by sex, age, ethnicity, and socioeconomic level.

*Indicator:*

- Number of countries with a national information system that delivers annual information on ICH indicators and data.

**Strategic Area 5:** Mobilizing resources, strategic alliances, and partnerships.

**Objective 5.1:** To engage in advocacy to establish and strengthen intersectoral alliances with strategic partners and mobilize international and national funds to sustain implementation and expansion of ICH activities.

*Indicator:*

- Number of countries that have established an intersectoral coordinating committee for ICH.





## Monitoring and Evaluation

This Plan of Action contributes to the achievement of Strategic Objectives (SOs) 4,<sup>1</sup> 7,<sup>2</sup> and 9<sup>3</sup> of the PAHO Strategic Plan. Additional SOs, as well as the specific Regionwide Expected Results (RERs) to which this Plan of Action contributes, are detailed in Annex C. The monitoring, assessment, and evaluation of this Strategy and Plan of Action will follow the guidelines established by the Organization. Accordingly, it will include actions to monitor and assess the indicators identified, and progress reports will be delivered at the midterm and conclusion of the Plan of Action. Countries will work with all sectors to reach agreement on a list of standardized basic indicators for ICH and share data with other international agencies using websites, regional observatories, SharePoint, portal systems, and other networks.

PAHO and Member States will implement selected planning, monitoring, and evaluation tools for active follow-up of country policies, strategies, and plans using process and impact indicators, country reports, and the concluding observations of the Committee on the Rights of the Child. The information collected will be disaggregated by age, sex, and ethnicity to enable governments and service providers to target the most vulnerable or excluded populations. A final evaluation will be undertaken at the end of the plan in 2017.

## Action by the Pan American Sanitary Conference

The Conference is invited to review the information in this document and consider adopting the proposed resolution in Annex B.

- <sup>1</sup> **SO4:** *To reduce morbidity and mortality and improve health during key stages of life, such as pregnancy, childbirth, the neonatal period, childhood, and adolescence, and improve sexual and reproductive health and promote active and healthy aging for all individuals.*
- <sup>2</sup> **SO7:** *To address the underlying social and economic determinants of health through policies and programs which enhance health equity and integrate pro-poor, gender-responsive, and human rights-based approach.*
- <sup>3</sup> **SO9:** *To improve nutrition, food safety, and food security throughout the life-course, and in support of public health and sustainable development.*

# References

1. Jolly, R. Early Childhood development: the global challenge. *The Lancet* [Internet]. 2007 Jan [cited 2012 Jan 12]; 369(9555):8-9 Available from: [http://www.who.int/child\\_adolescent\\_health/documents/pdfs/lancet\\_child\\_dev\\_series\\_commentary.pdf](http://www.who.int/child_adolescent_health/documents/pdfs/lancet_child_dev_series_commentary.pdf).
2. Heckman, J. The Heckman equation. Heckman: The Economics of Human Potential. [cited 2012 Jan 12] Available from: <http://www.heckmanequation.org/heckman-equation>.
3. Pan American Health Organization. Disability: Prevention and rehabilitation in the context of the right to the highest attainable standard of health and other related rights [Internet]. 47th Directing Council of PAHO, 58th Session of the WHO Regional Committee for the Americas; 2006 Sep 25-29; Washington (DC), US. Washington (DC): PAHO; 2006 (Document CD47/15) [cited 2012 Jan 12] Available from: <http://www.paho.org/english/gov/cd/CD47-15-e.pdf>.
4. Pan American Health Organization. Health and human rights [Internet]. 50th Directing Council of PAHO, 62nd Session of the WHO Regional Committee for the Americas; 2010 Sep 27- Oct 1; Washington (DC), US. Washington (DC): PAHO; 2010 (Document CD50/12) [cited 2012 Jan 13]. Available from: [http://new.paho.org/hq/index.php?option=com\\_content&task=view&id=3149&Itemid=2401](http://new.paho.org/hq/index.php?option=com_content&task=view&id=3149&Itemid=2401).
5. Pan American Health Organization. Strategic Plan 2008-2012, Amended (Draft) [Internet]. 49th Directing Council of PAHO, 61st Session of the Regional Committee of WHO for the Americas; 2009 Sep 28-Oct 2. Washington (DC), US. Washington (DC): PAHO; 2009 (Official Document No. 328) [cited 2012 Jan 12]. Available from: <http://new.paho.org/hq/dmdocuments/2009/OD-328%20complete%20document.pdf>.
6. Pan American Health Organization. Child health [Internet]. 42nd Directing Council of PAHO, 52nd Session of the WHO Regional Committee for the Americas; 2000 Sep 25-29; Washington (DC), US. Washington (DC): PAHO; 2000 (Document CD42/FR) [cited 2012 Jan 11]. Available from: [http://www.paho.org/english/gov/cd/cd42\\_fr-e.pdf](http://www.paho.org/english/gov/cd/cd42_fr-e.pdf).
7. United Nations. Universal Declaration of Human Rights: Article 25 [Internet]. Third Session of the United Nations General Assembly; December 1948; Paris, France. New York (NY): United Nations; 1948 [cited 2012 Jan 15]. Available from: <http://www.un.org/en/documents/udhr/index.shtml#a25>.
8. Pan American Health Organization. Millennium Development Goals and health targets [Internet]. 45th Directing Council of PAHO, 56th Session of the WHO Regional Committee for the Americas; 2004 Sep 27-Oct 1; Washington (DC), US. Washington (DC): PAHO; 2004 (Resolution CD45.R3) [cited 2012 Jan 15]. Available from: <http://www.paho.org/english/gov/cd/CD45.r3-e.pdf>.
9. World Health Organization. Working towards universal coverage of maternal, newborn, and child health interventions [Internet]. 58th World Health Assembly, Ninth Plenary Committee; 2005 May 16-25; Geneva (Switzerland): Geneva: WHO; 2005 (Document WHA58.31) [cited 2012 Jan 15]. Available from: [http://apps.who.int/gb/ebwha/pdf\\_files/WHA58/WHA58\\_31-en.pdf](http://apps.who.int/gb/ebwha/pdf_files/WHA58/WHA58_31-en.pdf).
10. Pan American Health Organization. Gender equality policy [Internet]. 46th Directing Council of PAHO, 57th Session of the WHO Regional Committee for the Americas; 2005 Sep 26-30; Washington (DC), US. Washington (DC): PAHO; 2005 (Resolution CD46.R16) [cited 2012 Jan 15]. Available from: <http://www.paho.org/english/gov/cd/CD46.r16-e.pdf>.
11. Pan American Health Organization. Regional strategy and plan of action on nutrition in health and development [Internet]. 138th Session of the Executive Committee of PAHO; 2006 June 19-23; Washington (DC), US. Washington (DC): PAHO; 2006 (Resolution CE138.R2) [cited 2012 Jan 15]. Available from: <http://www.paho.org/english/gov/ce/ce138.r2-e.pdf>.
12. Pan American Health Organization. Integrated management of childhood illness (IMCI) [Internet]. 26th Pan American Sanitary Conference, 54th Session of the WHO Regional Committee for the Americas; 2002 Sep 23-27; Washington (DC), US. Washington (DC): PAHO; 2002 (Resolution CSP26.R10)[cited 2012 Jan 15]. Available from: <http://www.paho.org/english/gov/csp/csp26.r10-e.pdf>.
13. Pan American Health Organization. Family and community health [Internet]. 49th Directing Council of PAHO, 61st Session of the WHO Regional Committee for the Americas; 2009 Sep 28-Oct 2; Washington (DC), US. Washington (DC): PAHO; 2009 (Resolution CD49.R13) [cited 2012 Jan 25]. Available from: [http://new.paho.org/hq/dmdocuments/2009/CD49.R13%20\(Eng.\).pdf](http://new.paho.org/hq/dmdocuments/2009/CD49.R13%20(Eng.).pdf).



14. Pan American Health Organization. Family and health [Internet]. 44th Directing Council of PAHO, 55th Session of the WHO Regional Committee for the Americas; 2003 Sep 22-26; Washington (DC), US. Washington (DC): PAHO; 2003 (Resolution CD44.R12) [cited 2012 Jan 25]. Available from: <http://www.paho.org/english/gov/cd/cd44-r12-e.pdf>.
15. Pan American Health Organization. Regional strategy and plan of action for neonatal health within the continuum of maternal, newborn, and child care [Internet]. 48th Directing Council of PAHO, 60th Session of the WHO Regional Committee for the Americas; 2008 Sep 29-Oct 3; Washington (DC), US. Washington (DC): PAHO; 2008 (Resolution CD 48.R4, Rev.1) [cited 2012 Jan 25]. Available from: <http://www.paho.org/english/gov/cd/cd48.r4-e.pdf>.
16. Pan American Health Organization. Neonatal health in the context of maternal, newborn, and child health for the attainment of the development goals of the United Nations Millennium Declaration [Internet]. 47th Directing Council of PAHO, 58th Session of the WHO Regional Committee for the Americas; 2006 Sep 25-29; Washington (DC), US. Washington (DC): PAHO; 2006 (Resolution CD47.R19) [cited 2012 Jan 25]. Available from: <http://www.paho.org/english/gov/cd/CD47.r19-e.pdf>.
17. Pan American Health Organization. Elimination of neglected diseases and other poverty-related infections [Internet]. 49th Directing Council of PAHO, 61st Session of the WHO Regional Committee for the Americas; 2009 Sep 28-Oct 2; Washington (DC), US. Washington (DC): PAHO; 2009 (Resolution CD49.R19) [cited 2012 Jan 25]. Available from: [http://new.paho.org/hq/dmdocuments/2009/CD49.R19%20\(Eng.\).pdf](http://new.paho.org/hq/dmdocuments/2009/CD49.R19%20(Eng.).pdf).
18. Pan American Health Organization. Regional strategy for sustaining national immunization programs in the Americas [Internet]. 47th Directing Council of PAHO, 58th Session of the WHO Regional Committee for the Americas; 2006 Sep 25-29; Washington (DC), US. Washington (DC): PAHO; 2006 (Resolution CD47.R10) [cited 2012 Jan 25]. Available from: <http://www.paho.org/english/gov/cd/CD47.r10-e.pdf>.
19. Pan American Health Organization. Vaccines and immunization [Internet]. 26th Pan American Sanitary Conference, 54th Session of the WHO Regional Committee for the Americas; 2002 Sep 23-27; Washington (DC), US. Washington (DC): PAHO; 2002 (Resolution CSP26.R9) [cited 2012 Jan 25]. Available from: <http://www.paho.org/english/gov/csp/csp26.r9-e.pdf>.
20. Pan American Health Organization. Regional strategy and plan of action on nutrition in health and development, 2006-2015 [Internet]. 47th Directing Council of PAHO, 59th Session of the WHO Regional Committee for the Americas; 2006 Sep 25-29; Washington (DC), US. Washington (DC): PAHO; 2006 (Resolution CD47.R8) [cited 2012 Jan 25]. Available from: <http://www.paho.org/english/gov/cd/CD47.r8-e.pdf>.
21. Declaration of Alma-Ata [Internet]. International Conference on Primary Health Care; 1978 Sep 6-12; Almaty, Kazakhstan [cited 2012 Jan 25]. Available from: [http://www.who.int/hpr/NPH/docs/declaration\\_almaata.pdf](http://www.who.int/hpr/NPH/docs/declaration_almaata.pdf).
22. Economic Commission for Latin America and the Caribbean, Social Development Division – United Nations Children’s Fund (ECLAC-UNICEF). Child poverty: a priority challenge. Challenges [Internet]. 2010 [cited 2012 Jan 25]; (10):5-9. Available from: [www.cepal.org/dds/noticias/desafios](http://www.cepal.org/dds/noticias/desafios).
23. United Nations Development Programme. Human Development Report 2010. [Internet]. New York (NY): UNDP; 2010 [cited 2012 Jan 25]. Available from: <http://hdr.undp.org/en/reports/global/hdr2010/chapters/>.
24. Bárcena A (Economic Commission for Latin America and the Caribbean [ECLAC]). El progreso de América Latina y el Caribe hacia los Objetivos de Desarrollo de Milenio. Desafíos para lograrlos con igualdad [Internet]. Santiago (Chile): United Nations; 2010 June [cited 2012 Jan 25]. Available from: <http://www.eclac.org/publicaciones/xml/1/39991/portada-indice-intro.pdf>.
25. Anderson GF, Waters H, Pittman P, Herbert R, Chu E, Das K (John Hopkins University Bloomberg School of Public Health). Non-communicable chronic diseases in Latin America and the Caribbean [Internet]. Baltimore (MD): U.S. Agency for International Development (USAID); 2009 Feb 19 [cited 2012 Jan 25]. Available from: <http://www.healthycaribbean.org/publications/documents/NCD-in-LAC-USAID.pdf>.
26. World Health Organization. World Health Statistics 2011 [Internet]. Geneva: WHO; 2011 [cited 2012 Apr 24]. Available from: <http://www.who.int/whosis/whostat/2011/en/index.html>.
27. Jones G, Steketee R, Black RE, Bhutta ZA, Morris SS, and the Bellagio Child Survival Study Group. How many child deaths can we prevent this year? The Lancet [Internet]. 2003 [cited 2012 Jan 25]; 362:65-71. Available from: [http://www.who.int/maternal\\_child\\_adolescent/documents/pdfs/lancet\\_child\\_survival\\_prevent\\_deaths.pdf](http://www.who.int/maternal_child_adolescent/documents/pdfs/lancet_child_survival_prevent_deaths.pdf).



28. Butchart A, Harvey AP, Mian M, Fürniss T. Preventing child maltreatment: a guide to taking action and generating evidence. World Health Organization and International Society for Prevention of Child Abuse and Neglect. World Health Organization, International Society for Prevention of Child Abuse and Neglect; Geneva (Switzerland); 2006 [cited 2012 Jan 25]. Available from: [http://whqlibdoc.who.int/publications/2006/9241594365\\_eng.pdf](http://whqlibdoc.who.int/publications/2006/9241594365_eng.pdf).
29. Pan American Health Organization. Health in the Americas. (Scientific publication 622). 2007 edition (Vol. 1). Washington, DC: PAHO; 2007 [cited 2012 Jan 25]. <http://www.paho.org/hia/archivosvol1/volregionaling/HIA07%20Regional%20Vol%20ENG%20Front%20Matter.pdf>.
30. World Bank. World Bank Annual Report 2010: year in review [Internet]. Washington (DC): World Bank; 2010. [cited 2012 Jan 25]. Available from: <http://web.worldbank.org/WBSITE/EXTERNAL/EXTABOUTUS/EXTANNREP/EXTANNREP2010/0,,menuPK:7074184~pagePK:64168427~piPK:64168435~theSitePK:7074179,00.html>.
31. Pan American Health Organization. Strategy and plan of action for chronic malnutrition [Internet]. 50th Directing Council of PAHO, 62nd Session of the WHO Regional Committee for the Americas; 2010 Sep 27-Oct 1; Washington (DC), US. Washington (DC): PAHO; 2010 (Document CD50/13) [cited 2012 Jan 13]. Available from: [http://new.paho.org/hq/index.php?option=com\\_content&task=view&id=3149&Itemid=2401&lang=en](http://new.paho.org/hq/index.php?option=com_content&task=view&id=3149&Itemid=2401&lang=en).
32. Lutter CK, Daelmans B, de Onis M, Kothari M, Ruel MT, Arimond M, Deitchler M, Dewey KG, Blössner M, Borghi, E. Undernutrition, poor feeding practices and low coverage of key nutrition interventions. *Pediatrics* [Internet]. 2011 Dec [cited 2012 Jan 25]; 128(6):e1418-27. Available from: <http://pediatrics.aappublications.org/content/early/2011/11/04/peds.2011-1392.abstract>.
33. Lutter CK, Chaparro CM, Muñoz S. Progress towards Millennium Development Goal 1 in Latin America and the Caribbean: the importance of the choice of indicator for undernutrition. *Bull World Health Organ* [Internet]. 2011 Jan [cited 2012 Jan 25]; 89(1):22-30. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3040018/>.
34. Mora JO, Boy E, Lutter C, Grajeda R. Anemia in Latin America and the Caribbean, 2009. Situation analysis, trends, and implications for public health programming. Washington (DC): Pan American Health Organization; 2009 (Document OPS/FCH/HL/11.3.E) [cited 2012 Jan 25]. Available from: [Document OPS/FCH/HL/11.3.E](#)
35. World Health Organization. Indoor air pollution: National burden of disease estimates. [Internet]. Geneva (Switzerland): WHO; 2007 (Document WHO/SDE/PHE/7.01rev) [cited 2012 Jan 25]. Available from: [http://www.who.int/indoorair/publications/indoor\\_air\\_national\\_burden\\_estimate\\_revised.pdf](http://www.who.int/indoorair/publications/indoor_air_national_burden_estimate_revised.pdf).
36. World Health Organization. WHO PMTCT strategic vision 2010–2015: preventing mother-to child transmission of HIV to reach the UNGASS and Millennium Development Goals. Geneva (Switzerland): WHO; 2010 [cited 2012 Jan 25]. Available from: [http://www.who.int/hiv/pub/mtct/strategic\\_vision.pdf](http://www.who.int/hiv/pub/mtct/strategic_vision.pdf).
37. Pan American Health Organization. 2010 Situation Analysis, Elimination of Mother-to-Child Transmission of HIV and Congenital Syphilis in the Americas. PAHO [Internet]. 2011 [cited 2012 Jan 25]. Available from: [http://new.paho.org/hq/index.php?option=com\\_content&task=blogcategory&id=987&Itemid=904&lang=en](http://new.paho.org/hq/index.php?option=com_content&task=blogcategory&id=987&Itemid=904&lang=en).
38. Ault S, Santiago Nicholls R, Idali Saboya M, Gyorkos T. Workshop on integrated deworming intervention into preschool child packages in the Americas – Report; 2011 Mar 24-25; Washington (DC), United States [Internet]. Washington (DC): PAHO and McGill University; 2011 [cited 2012 Jan 25] Available from: [http://new.paho.org/hq/index.php?option=com\\_docman&task=doc\\_view&gid=15254&Itemid](http://new.paho.org/hq/index.php?option=com_docman&task=doc_view&gid=15254&Itemid).
39. Pan American Health Organization. Expanded Immunization Program Reporting data. Washington (DC): PAHO; 2009.
40. Child Development: The Child with a Disability, Concept Note, WHO/UNICEF, 2011 Sep 14.
41. United Nations Children’s Fund. The State of the World’s Children 2008. Child Survival [Internet]. New York: UNICEF; 2007 [cited 2012 Jan 25]; p:3435. Available from: <http://www.unicef.org/sowc08/docs/sowc08.pdf>.
42. Bryce J, Victora CG, Habicht JP, Vaughan JP, Black RE. The multi-country evaluation of the Integrated Management of Childhood Illness strategy: lessons for the evaluation of public health interventions. *American Journal of Public Health* [Internet] 2004 [cited 2012 Jan 25]; 94:406-415. Available from: <http://ajph.aphapublications.org/doi/pdf/10.2105/AJPH.94.3.406>.



43. World Health Organization. The Multi-Country Evaluation of IMCI Effectiveness, Cost and Impact (MCE): Progress Report, May 2001 – April 2002. Geneva: WHO; 2002 (Document WHO/FCH/CAH/02.16) [cited 2012 Jan 25]. Available from: [http://www.who.int/imci-mce/Publications/WHO\\_FCH\\_CAH\\_02.16.pdf](http://www.who.int/imci-mce/Publications/WHO_FCH_CAH_02.16.pdf).
44. Huicho L, Davila M, Campos M, Drasbek C, Bryce J, Victora C. Scaling up Integrated Management of Childhood Illness to the national level: achievements and challenges in Peru. *Health Policy and Planning* [Internet]. 2005 [cited 2012 Jan 25] 20(1); 14–24. Available from: [http://csiunmsm.bravehost.com/publi\\_indexa/health\\_v20\\_1\\_14.pdf](http://csiunmsm.bravehost.com/publi_indexa/health_v20_1_14.pdf).
45. Victora CG, Huicho L, Amaral J, Armstrong-Schellenberg J, Manzi F, Mason E, et al. Are health interventions implemented where they are most needed? District uptake of the Integrated Management of Childhood Illness strategy in Brazil, Peru and the United Republic of Tanzania. *Bull World Health Organ* [Internet]. 2006 [cited 2012 Jan 25]; 84:792-801. Available from: <http://www.who.int/bulletin/volumes/84/10/06-030502.pdf>.
46. Cordero, D., R. Salgado & C. Drasbek. An analysis of IMCI implementation process in four countries in Latin America [Internet]. Edited by Tina G. Sanghvi and Mireille Mather. Arlington, (Virginia), United States: BASICS II for the United States Agency for International Development and the Pan American Health Organization; 2004 [cited 2012 Jan 25]. Available from: [http://pdf.usaid.gov/pdf\\_docs/PNADC631.pdf](http://pdf.usaid.gov/pdf_docs/PNADC631.pdf).
47. Bhutta Z, Darmstadt G, Hasan B, Haws, R. (2005). Community-based interventions for improving perinatal and neonatal health outcomes in developing countries: a review of the evidence. *Pediatrics* [Internet]. 2005 [cited 2012 Jan 25]; 115;519617 Available from: <http://www.ncbi.nlm.nih.gov/pubmed/15866863>.
48. Harkins T, Drasbek C, Arroyo J, McQuestion M. (2008). The health benefits of social mobilization: experiences with community-based Integrated Management of Childhood Illness in Chao, Peru and San Luis, Honduras. *Promot Educ* [Internet]. 2004 [cited 2012 Jan 25]; 15(2): 1520). Available from: <http://pesquisa.bvsalud.org/sde/recursos/cid-60716>.
49. McQuestion, MJ, Quijano Calle A, Drasbek C, Harkins T, Sagastume LJ. Social integration and health behavioral change in San Luis, Honduras. *Health Educ Behav* [Internet]. 2010 [cited 2012 Jan 25]; 37(5):694-708. Available from: <http://heb.sagepub.com/content/37/5/694.abstract?rss=1&patientinform-links=yes&legid=spheb;37/5/694>.
50. Velásquez A. Evaluación del Componente AIEPI del Proyecto PCPCD-OPS/CIDA. Washington (DC): Pan American Health Organization (unpublished document).



# ANNEXES



## Annex A

# Some Examples of Interventions for Integrated Child Health

(Children Less than 5 Years of Age by Level of Influence)

### Individual

- Positive parenting
- Increase access to prenatal and postnatal services
- Early childhood development programs
- Safe sex

### Family and Community

- Safe and clean environment
- Early recognition of danger signs and referral
- Clean cook stoves for cleaner indoor air\*
- Eliminate tobacco smoke and indoor mites
- Risk communication programs\*
- Active participation of social actors implementing key family practices \*
- Pre-natal and postnatal visits to reduce child abuse

### Prevention\*

- Exclusive breastfeeding up to 6 months of age
- Complementary feeding
- Insecticide treated materials
- Water sanitation and hygiene
- Hib vaccine
- Zinc
- Vitamin A
- Measles vaccine
- Tetanus toxoid
- Home visits during pregnancy

### Treatment\*

- Vitamin A
- Antibiotics for pneumonia
- Antibiotics for dysentery
- Antimalarials
- Oral rehydration therapy (ORT)
- Antibiotics for sepsis
- Newborn resuscitation
- Zinc (in acute diarrhea and severe child under-nutrition)

### Societal

- Translating the Convention on the Rights of the Child into national laws
- Promoting social, economic and cultural rights
- Providing early childhood education and care
- Ensuring universal primary and secondary education
- Reducing the availability of alcohol
- Monitoring levels of lead, mercury, pesticides, etc., and removing environmental toxins
- Control of urban air pollution\*

*\*Evidenced-based  
intervention.*





PAN AMERICAN HEALTH ORGANIZATION  
WORLD HEALTH ORGANIZATION



## **28th PAN AMERICAN SANITARY CONFERENCE** **64th SESSION OF THE REGIONAL COMMITTEE**

Washington, D.C., USA, 17-21 September 2012

CSP28/10 (Eng.)  
**Annex B**  
ORIGINAL: ENGLISH

### **PROPOSED RESOLUTION**

#### **STRATEGY AND PLAN OF ACTION FOR INTEGRATED CHILD HEALTH**

##### ***THE 28th PAN AMERICAN SANITARY CONFERENCE,***

Having reviewed the *Strategy and Plan of Action for Integrated Child Health* (Document CSP28/10);

Recalling the Constitution of the World Health Organization, the UN Convention on the Rights of the Child, and other international and regional human rights instruments that set forth the right of the child to enjoy the highest attainable standard of health;

Mindful of the international mandates emerging from the World Health Assembly, in particular Resolution WHA56.21 (2003), *Strategy for Child and Adolescent Health and Development*, and Resolution WHA58.31 (2005), *Working towards Universal Coverage of Maternal, Newborn, and Child Health Interventions*, the commitments by the Member States of the Region of the Americas to meeting the Millennium Development Goals (MDG), and other PAHO resolutions that contribute to and directly affect the well-being of women, children, and caregivers;

Recognizing that the children of the Region of the Americas are its greatest resource, and that recognition and protection of their distinct needs and human rights is essential for effective development, and noting that national health policies, strategies, plans, and laws require renewed attention to promote the effective integration of child health services in health facilities, using an intersectoral and life-course approach based on the social determinants of health and consistent with international mandates;

Considering that this Strategy and Plan of Action propose to build upon the continuum of care to promote the optimal development of the child; prevent and reduce the burden of disease in children younger than 5 years of age; improve child nutrition; empower parents, families, and communities to support child care efforts; create social and physical environments that promote safety and good health; and strengthen collaboration among various institutions in the health and other sectors, enabling them to work more effectively,

#### **RESOLVES:**

- 1. To endorse the Strategy and approve the Plan of Action for Integrated Child Health, and to encourage its consideration in development policies, plans, programs, and proposals, and in the discussion of national budgets, with a view to creating conditions for scaling up integrated child health interventions.**



## **2. To urge Member States to:**

- (a) give priority to and advocate at the highest levels for the implementation of evidence-based, effective interventions to prevent child morbidity and mortality and to reach optimum social development;
- (b) support the development of integrated child health policies, strategies, and plans as part of overall national health plans, build capacity for high-quality integrated child health services, and ensure universal access to these services;
- (c) promote dialogue and coordination between ministries and other public and academic institutions, as well as between the public and private sectors and civil society, with a view to achieving national consensus for the implementation of integrated child health services based on the social determinants and life-course approaches;
- (d) build capacity of national and local managers for effective program planning and management of health workers in first- and referral-level health facilities to deliver quality integrated child health services;
- (e) support caregivers working at the family, community, and individual levels to improve care-seeking behavior, health promotion, and care in the home and community based on primary health care practices;
- (f) strengthen health systems and health services to support implementation of quality care in a manner consistent with their obligations under the UN Convention on the Rights of the Child and the application of innovative training processes, including distance education and other innovative models;
- (g) promote the collection, sharing, and use of data on integrated child health disaggregated by age, sex, and ethnicity;
- (h) establish an integrated monitoring, evaluation, and accountability system for policies, plans, programs, legislation, and interventions that will make it possible to determine the quality of care and impacts of integrated child health services;
- (i) develop processes for conducting external reviews and analysis of the Plan's implementation based on national priorities, needs, and capabilities.

## **3. To request the Director to:**

- (a) establish a technical advisory group to provide guidance on topics related to integrated child health;
- (b) provide support to the Member States, in collaboration with other international agencies and sectors, to help them work collectively to support and strengthen national plans and the implementation of integrated child health activities at the country level;
- (c) promote the implementation and coordination of the Strategy and Plan of Action to ensure that activities are cross-cutting across the Organization's various program areas and different regional and country contexts;
- (d) establish benchmarks directly correlated to the strategic areas in the Strategy and Plan of Action;
- (e) promote and consolidate horizontal (South-South) technical cooperation and the sharing of successful experiences and lessons learned by Member States;
- (f) support and maximize human resources development, capacity building, and the delivery of quality services;
- (g) support the development of integrated technical guidelines and tools to facilitate implementation of the Strategy and Plan of Action;
- (h) promote the establishment of national, municipal, and local partnerships with other international agencies, scientific and technical institutions, academic institutions, nongovernmental organizations, organized civil society, the private sector, the UN Committee on the Rights of the Child, and others, for the purpose of implementing integrated child health services;
- (i) conduct midterm and final evaluations and report these results to the PAHO Governing Bodies.





525 Twenty-third Street, N.W. Washington, D.C. 20037, USA. | [www.paho.org](http://www.paho.org)

